



**Bihar Medical Services & Infrastructure Corporation  
Limited**

**4<sup>th</sup> floor State Building Construction Corporation  
Limited. Hospital Road, Shastri Nagar, Patna  
800023**

**Phone/Fax: + 919471009193, + 919471009074**

**CORRIGENDUM-I**

**Tender for rate contract and supply of Home Based New Born Care (HBNC) Kits for different  
Healthcare Facilities of State of Bihar**

**Notice Inviting Tender Ref No.: - BMSIC/MEDICAL DEVICE/CONSUMABLES/21-07.**

**Dated: 25/06/2021**

(Only through E- Tender on website: -[www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in))

Bihar Medical Services and Infrastructure Corporation Limited (BMSICL) has invited e-Bids from the interested parties for “**Tender for rate contract and supply of Home Based New Born Care (HBNC) Kits for different Healthcare Facilities of State of Bihar**”, vide Notice Inviting Tender No.- **BMSIC/MEDICAL DEVICE/CONSUMABLES/21-07**. Detailed tender document containing eligibility criteria, selection mechanism, other terms and conditions are available on the website **[www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in)**.

After considering the suggestions/ queries received from the prospective bidders & after due deliberations on all the aspects, certain amendments have been made with regard to the specifications which are annexed as Annexure-A with this Corrigendum-I. In order to ensure wider participation and in view of requests made for extension in the tender schedule, the revised extended tender schedule is as follows:-

**Revised Tender Schedule**

Tender Reference No.	<b>BMSIC/MEDICAL DEVICES/CONSUMABLES/21-07</b>
Date and time for downloading of bid document	<b>Upto 02<sup>nd</sup> July 2021 till 1800 Hrs.</b>
Last date and time of submission of online bids	<b>Upto 03<sup>rd</sup> July 2021 by 18:00 Hrs.</b>
Last date and time for submission of original bid documents with EMD and Tender Fees	<b>Upto 05<sup>th</sup> July 2021 till 14:00 Hrs.</b>
Date, Time and Place of opening of Technical Bid	<b>Upto 05<sup>th</sup> July 2021 (at 15:00 Hrs.) on the website of <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> in the office of BMSICL</b>
Date and time of opening of Financial Bids	<b>To be announced later on <a href="http://www.bmsicl.gov.in">www.bmsicl.gov.in</a> and <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a></b>
Validity of Tender	<b>180 Days</b>
Cost of the tender document	<b>Rs. 10,000/- (Ten Thousand only) Non- refundable.</b>
Bid Processing Fee	<b>Rs 1180/- (One thousand one hundred eighty only) Non-refundable.</b>

**Note-Bidders are advised to refer to the Annexure-A of this  
Corrigendum before submission of bid document.**

## **ANNEXURE-A**

S.N.	Items	Original Specification	Amended Specifications	Unit
1.	<b>Digital watch</b>	<ul style="list-style-type: none"> <li>• Date and Time, (in Hours, minutes, and seconds).</li> <li>• Illuminated dial.</li> <li>• Standard Numerals (not Roman or others)-stop watch function is not essential.</li> <li>• Battery life of at least one year.</li> <li>• Readily available battery.</li> <li>• Must have valid BIS Certification.</li> </ul>	<ul style="list-style-type: none"> <li>• Date and Time, (in Hours, minutes, and seconds).</li> <li>• Illuminated dial.</li> <li>• Standard Numerals (not Roman or others)-stop watch function is not essential.</li> <li>• Battery life of at least one year.</li> <li>• Readily available battery.</li> <li>• <b>Plastic Strap</b></li> <li>• <b>Dial Diameter- 28 mm- 30 mm</b></li> <li>• <b>Certificate regarding conformity to BIS standard.</b></li> </ul>	Each Piece
2.	<b>Digital Thermometer</b>	<ul style="list-style-type: none"> <li>• Range of temperature measurement 32° C-42° C (89.6°F-109.4°F).</li> <li>• Can be calibrated in both Centigrade and Fahrenheit, but if only one option is available, then Fahrenheit is preferable.</li> <li>• Easy to read LCD display.</li> <li>• Buzzer signal function.</li> <li>• Takes 60-90 seconds to measure temperature.</li> <li>• Can be used in the armpit/axilla, orally and rectally.</li> <li>• Accuracy of temperature <math>\pm 1^{\circ}</math> C and <math>\pm 0.2^{\circ}</math> F.</li> <li>• Must have valid BIS Certification.</li> </ul>	<ul style="list-style-type: none"> <li>• Range of temperature measurement 32° C-42° C (89.6°F-109.4°F).</li> <li>• Can be calibrated in both Centigrade and Fahrenheit, but if only one option is available, then Fahrenheit is preferable.</li> <li>• Easy to read LCD display.</li> <li>• Buzzer signal function.</li> <li>• Takes 60-90 seconds to measure temperature.</li> <li>• Can be used in the armpit/axilla, orally and rectally.</li> <li>• Accuracy of temperature <math>\pm 1^{\circ}</math> C and <math>\pm 0.2^{\circ}</math> F.</li> <li>• <b>Certificate regarding conformity to BIS standard.</b></li> </ul>	Each Piece
3.	<b>Neonatal weighing scale- Tubular spring type with sling</b>	<ul style="list-style-type: none"> <li>• Hanging Tubular handheld type</li> <li>• Plastic tubular body</li> <li>• Able to weigh weights between 0 to at least 5000 grams</li> <li>• Clear and easy to read measurement panel with specific Colour coded graduation at 100 grams difference (green-&gt;2500 grams, yellow- 2000-2500 grams and red- &lt;2000 grams)</li> <li>• Zero adjustment facility</li> <li>• Corrosion protected load hook and suspension ring/ hook: at top for holding while weighing and at lower end for hanging the baby holding sling.</li> <li>• Soft durable sling material for holding the baby</li> <li>• Guarantee- 3Years.</li> <li>• Must have valid BIS Certification.</li> </ul>	<ul style="list-style-type: none"> <li>• Hanging Tubular handheld type</li> <li>• Plastic tubular body</li> <li>• Able to weigh weights between 0 to at least 5000 grams</li> <li>• Clear and easy to read measurement panel with specific Colour coded graduation at 100 grams difference (green-&gt;2500 grams, yellow- 2000-2500 grams and red- &lt;2000 grams)</li> <li>• Zero adjustment facility</li> <li>• Corrosion protected load hook and suspension ring/ hook: at top for holding while weighing and at lower end for hanging the baby holding sling.</li> <li>• Soft durable sling material for holding the baby</li> <li>• Guarantee- 3Years.</li> <li>• <b>Certificate regarding conformity to BIS standard.</b></li> </ul>	Each Piece

		<b>Sling of the weighing scale-</b> <ul style="list-style-type: none"> <li>Sling should be made of parachute cloth. Cloth and stitching of the sling should be smooth and soft for the baby.</li> <li>Size of the sling should be big enough to hold a newborn and a maximum weight of 5 kg. (Approximate length-74cms and breadth -54cms).</li> <li>Sling should have two loops, one at each end, which can be hanged in the hook of spring scale.</li> </ul>	<ul style="list-style-type: none"> <li>Sling should be made of parachute cloth. Cloth and stitching of the sling should be smooth and soft for the baby.</li> <li>Size of the sling should be big enough to hold a newborn and a maximum weight of 5 kg. (Approximate length-74cms and breadth -54cms).</li> <li>Sling should have two loops, one at each end, which can be hanged in the hook of spring scale.</li> </ul>	
4.	<b>Blankets for neonate: two per ASHA</b>	<ul style="list-style-type: none"> <li>Blanket dimensions: 3ft 2 inches x 3ft 2 inches x ¼ inch.</li> <li>Washable, Fleece fabric.</li> <li>Soft and gentle against baby's skin.</li> <li>Breathable and lightweight.</li> <li>Meant for demonstration and immediate use.</li> </ul>	<ul style="list-style-type: none"> <li>Blanket dimensions: 3ft 2 inches x 3ft 2 inches x ¼ inch.</li> <li>Washable, Fleece fabric.</li> <li>Soft and gentle against baby's skin.</li> <li>Breathable and lightweight.</li> <li>Meant for demonstration and immediate use.</li> </ul>	Each Piece
5.	<b>Baby feeding spoon</b>	<ul style="list-style-type: none"> <li>Long handled and easy to clean.</li> <li>Made of Stainless steel.</li> <li>Front end of the spoon should be shallow, not flat or too deep 4-5ml.</li> </ul>	<ul style="list-style-type: none"> <li>Long handled and easy to clean.</li> <li>Made of Stainless steel.</li> <li>Front end of the spoon should be shallow, not flat or too deep 4-5ml.</li> <li><b>Minimum Weight 20 gm or above</b></li> </ul>	Each Piece
6.	<b>Kit Bag</b>	<ul style="list-style-type: none"> <li>Office Bag, <b>Back</b> Closure.</li> <li>Hand Pack, Zipper Closure.</li> <li>Water Proof.</li> <li>Three Compartments, Two external pockets.</li> <li>2mm material thickness.</li> <li>40 cm Length, 14 cm Width and 25 cm Height.</li> <li>8Kg weight capacity</li> </ul>	<ul style="list-style-type: none"> <li>Office Bag, <b>Back</b> Closure.</li> <li>Hand Pack, Zipper Closure.</li> <li>Water Proof.</li> <li>Three Compartments, Two external pockets.</li> <li><b>Fabric: Polyester Fabric with water coating PVC.</b></li> <li>2mm material thickness.</li> <li>40 cm Length, 14 cm Width and 25 cm Height.</li> <li>8Kg weight capacity.</li> </ul>	Each Piece
7.	<b>LED Torch with 3 cells</b>	<ul style="list-style-type: none"> <li>Type of Lamp - LED</li> <li>Diameter of search light (mm) - 50 to 75</li> <li>Wattage: 1 wat</li> <li>Colour temperature - 5500 to 6500 deg. K</li> <li>Type of battery - Lithium ion</li> <li>Type of Housing Materials - Aluminium</li> <li>12 Months Warranty of Lithium ion battery.</li> <li>Must have valid BIS Certification.</li> </ul>	<ul style="list-style-type: none"> <li>Type of Lamp - LED</li> <li>Diameter of search light (mm) - 50 to 75</li> <li>Wattage: 1 wat</li> <li>Colour temperature - 5500 to 6500 deg. K</li> <li>Type of battery - Lithium ion</li> <li>Type of Housing Materials - Aluminium</li> <li>12 Months Warranty of Lithium ion battery.</li> <li><b>Certificate regarding conformity to BIS standard.</b></li> </ul>	Each Piece

**Sd/-**  
**GM (Procurement)**  
**BMSICL**